



# PRODUCT CATALOGUE

---

PUBLISHED: MARCH 2023

# CONTENTS

<b>THE HOME OF QUALITY SHEDS</b> .....	<b>3</b>
<b>SHED : FLAT ROOF</b> .....	<b>4</b>
Compact Storage Shed .....	4
Easy Store Shed .....	4
<b>SHED : GABLE ROOF</b> .....	<b>5</b>
The Tool Shed.....	5
Convenient Storage Shed .....	6
Frame Kit Only .....	7
Heavy Duty Shed .....	8
Chemical Shed .....	9
Chemical Shed Accessories .....	9
<b>SHED : SKILLION ROOF</b> .....	<b>10</b>
The Retro Shed™ .....	10
Standard Skillion.....	10
<b>SHED : SHEDMASTER™</b> .....	<b>11</b>
<b>SHED : HIGH PITCHED ROOF</b> .....	<b>12</b>
Federation Shed .....	12
<b>SHED ACCESSORIES</b> .....	<b>13</b>
Doors .....	13
Windows .....	13
Anchor Kits .....	13
Shed Base .....	14
Gutters.....	14
<b>SHADE HOUSE : GABLE ROOF</b> .....	<b>15</b>
<b>HOT HOUSE : GABLE ROOF</b> .....	<b>16</b>
<b>TIERED PLANT STAND</b> .....	<b>16</b>
<b>AVIARIES : FLAT ROOF</b> .....	<b>17</b>
Flight Aviary .....	17
Square Aviary .....	17
<b>AVIARIES : GABLE ROOF</b> .....	<b>18</b>
Hexagonal Aviary .....	18
A Frame Aviary.....	19
Gable Aviary.....	20
Gable Aviary MK1.....	21
Gable Aviary MK2 and MK3.....	21
Options: Doors and Mesh .....	22
Accessories: Feeders/Nesting Boxes.....	22
Aviary Configuration .....	22
<b>ANIMAL ENCLOSURES</b> .....	<b>23</b>
Small Pet Enclosure .....	23
Fowl Enclosure .....	24
<b>COLOURS</b> .....	<b>25</b>
<b>DELIVERY</b> .....	<b>26</b>
<b>CUSTOMER ORDER FORM</b> .....	<b>27</b>





Established in 1975, Garden Master continues to manufacture quality storage solutions in South Australia. Our products include sheds, aviaries, shade houses and hot houses. The versatile design of our products allow door positions, windows and other options to be altered to suit your storage requirements.

## **MADE IN SOUTH AUSTRALIA**

Garden Master is proudly a 100% South Australian owned company. Our Mission at Garden Master is to purchase as much of our materials as possible from other South Australian companies. When you buy a Garden Master product, you are supporting a number of local businesses across the state.

## **THICKER + STRONGER**

Our products use deep ribbed, up to 0.4mm gauge, high tensile ZINCALUME® or COLORBOND® steel sheeting and heavy gauge channel section. ACERWALL™ sheeting is up to 25% stronger than most other brands. We pride ourselves on providing high quality products by using the best materials possible.

## **QUICK + EASY ASSEMBLY**

Pre-finished panels make our products simple to install. We do as much as possible in the factory to make your job simpler and to save you time. However, we do provide installation services in metropolitan areas if you prefer.

## **DELIVERY + INSTALLATION AVAILABLE**

Delivery and/or installation can be arranged in Adelaide metro areas. Freight may apply in some regions - see page 27 for more info. Please note that delivery is to your front yard/driveway, with all prices based on a level site with reasonable access.

## **EXD SUPPORT SYSTEM**

The EXD Support System means that the shed doors are double braced with Galvanised SHS (Square Hollow Section) for extra security, strength and durability.

## **MODERN + VERSATILE RANGE**

We have many styles and options available to suit your needs. See pages 13 and for additional shed extras that we provide. We are confident that we can provide a shed to suit your situation. Custom sheds are also available - please enquire.

## **20 YEAR GUARANTEE**

We want you to have peace of mind in your investment. That's why all Garden Master structures are covered by our 20 Year Structural Guarantee. Some individual items are covered by separate warranties.



# SHEDS : FLAT ROOF

## COMPACT STORAGE SHEDS

- Great for tight spaces
- Wall height 1.83m
- Minimal roof angle, sloped front-to-back or back-to-front during installation
- Supplied in 5 panels with much of the assembly already completed
- Includes tech screws, gloves and installation instructions
- Roof overhang from 65mm to 235mm
- Various door options available see page 13
- T-Bar Handle standard
- Increase wall height to 1.96m or 2.09m
- Install yourself or we can do it for you



DIMENSIONS	WALL HEIGHT	CODE
0.78 x 0.78	1.83	FSHC0707
1.53 x 0.78	1.83	FSHC1507
2.27 x 0.78	1.83	FSHC2207
3.02 x 0.78	1.83	FSHC3007
1.53 x 1.53	1.83	FSHC1515
1.83 x 1.53	1.83	FSHC1815
2.27 x 1.53	1.83	FSHC2215
3.02 x 1.53	1.83	FSHC3015
3.76 x 1.53	1.83	FSHC3715

## EASY STORE™ SHEDS

- Includes double doors and two single shelves, perfect for backyard storage.
- Wall height 1.83m
- Increase wall height to 1.96m or 2.09m
- ShedBase™ Flooring System: no need for a concrete base with this complete flooring kit. Take it with you when you move house!
- ShedBase™ Flooring System is not included. If required, Garden Master will provide you with a quotation.



DIMENSIONS	WALL HEIGHT	CODE
1.53 x 0.78	1.83	EASYC153
2.27 x 0.78	1.83	EASYC227
3.02 x 0.78	1.83	EASYC302

# SHEDS : GABLE ROOF

## THE TOOL SHED

- 18.5 degree roof pitch
- 2.09m wall height
- Keyed T-Bar door handle
- Colour coded trim to match the wall cladding
- Extra Large Flashings all over
- Customisation options such as window, skylight and wide door available, see page 13-14 for pricing
- All sheds over 3.76m require a Truss



Skylight & window are not standard, see pg 13-14 for pricing

DIMENSIONS	WALL HEIGHT	GABLE HEIGHT	CODE
2.27 x 1.53	2.09	2.5	TOOLC5327
3.02 x 1.53	2.09	2.5	TOOLC5302
3.76 x 1.53	2.09	2.5	TOOLC5337
4.50 x 1.53	2.09	2.5	TOOLC5345
5.25 x 1.53	2.09	2.5	TOOLC5352
6.00 x 1.53	2.09	2.5	TOOLC5360
2.27 x 2.27	2.09	2.5	TOOLC2222
3.02 x 2.27	2.09	2.5	TOOLC3022
3.76 x 2.27	2.09	2.5	TOOLC3722
4.50 x 2.27	2.09	2.5	TOOLC4522
5.25 x 2.27	2.09	2.5	TOOLC5222
6.00 x 2.27	2.09	2.5	TOOLC6022
3.02 x 3.02	2.09	2.6	TOOLC3030
3.76 x 3.02	2.09	2.6	TOOLC3730
4.50 x 3.02	2.09	2.6	TOOLC4530
4.96 x 3.02	2.09	2.6	TOOLC4930
5.25 x 3.02	2.09	2.6	TOOLC5230
6.00 x 3.02	2.09	2.6	TOOLC6030

# SHEDS : GABLE ROOF

## CONVENIENT STORAGE SHED

- 10 degree roof pitch with 1.83m wall height
- Supplied in 6-10 pre-assembled panels (depending on size) with much of the assembly already completed
- Includes tech screws, gloves and installation instructions
- Wall height can be increased to 1.96m or 2.09m
- T-Bar Handle standard
- Customisation options such as windows and skylights available, see page 13-14 for pricing



Double door as shown is not standard, see pg 13-14 for pricing

DIMENSIONS	WALL HEIGHT	GABLE HEIGHT	CODE
1.53 x 1.53	1.83	1.96	GSHC1515
2.27 x 1.53	1.83	1.96	GSHC2215
3.02 x 1.53	1.83	1.96	GSHC3015
3.76 x 1.53	1.83	1.96	GSHC3715
2.27 x 2.27	1.83	2.03	GSHC2222
3.02 x 2.27	1.83	2.03	GSHC3022
3.76 x 2.27	1.83	2.03	GSHC3722
3.02 x 3.02	1.83	2.09	GSHC3030
3.76 x 3.02	1.83	2.09	GSHC3730
3.76 x 3.76	1.83	2.16	GSHC3737
<b>TRUSS SHED</b>			
4.50 x 1.53	1.83	1.96	TSHC4515
5.25 x 1.53	1.83	1.96	TSHC5215
6.00 x 1.53	1.83	1.96	TSHC6015
4.50 x 2.27	1.83	2.03	TSHC4522
5.25 x 2.27	1.83	2.03	TSHC5222
6.00 x 2.27	1.83	2.03	TSHC6022
4.50 x 3.02	1.83	2.09	TSHC4530
4.96 x 3.02	1.83	2.09	TSHC4930
5.25 x 3.02	1.83	2.09	TSHC5230
6.00 x 3.02	1.83	2.09	TSHC6030
4.50 x 3.76	1.83	2.16	TSHC4537
5.25 x 3.76	1.83	2.16	TSHC5237
6.00 x 3.76	1.83	2.16	TSHC6037
6.76 x 3.76	1.83	2.16	TSHC6737
7.49 x 3.76	1.83	2.16	TSHC7437

# SHEDS : GABLE ROOF

## FRAME KIT ONLY

Simply add to any Garden Master shed of the same size. Steel frame gives extra strength for the ultimate heavy duty storage centre.

Kits include strong 50 x 50 galvanised posts at each corner and either side of the door. Galvanised 38 x 25 top, middle and bottom wall rails slot into welded spigots.



DIMENSIONS	CODE
2.27 x 1.53	STFR2215
3.02 x 1.53	STFR3015
3.76 x 1.53	STFR3715
4.50 x 1.53	STFR4515
5.25 x 1.53	STFR5215
6.00 x 1.53	STFR6015
2.27 x 1.83	STFR2218
3.02 x 1.83	STFR3018
3.76 x 1.83	STFR3718
2.27 x 2.27	STFR2222
3.02 x 2.27	STFR3022
3.76 x 2.27	STFR3722
4.50 x 2.27	STFR4522
5.25 x 2.27	STFR5222
6.00 x 2.27	STFR6022
3.02 x 3.02	STFR3030
3.76 x 3.02	STFR3730
4.50 x 3.02	STFR4530
4.90 x 3.02	STFR4930
5.25 x 3.02	STFR5230
6.00 x 3.02	STFR6030
3.76 x 3.76	STFR3737
4.50 x 3.76	STFR4537
5.25 x 3.76	STFR5237
6.00 x 3.76	STFR6037
6.76 x 3.76	STFR6737
7.49 x 3.76	STFR7437

# SHEDS : GABLE ROOF

## HEAVY DUTY SHED

- Same as the Convenient Storage shed but with many options already included
- These larger sheds feature a roof truss, hat sections and fly brace for extra strength to ensure your shed will stand the test of time
- Steel frame (50 x 50 posts and 3 x 38 x 25 horizontal rails) galvanised
- 2.09m wall height
- Security kit which includes; door braces and keyed T-Bar door handle) as standard
- Colour coded gutters with 75mm POP
- 10 degree roof, to provide good water run off
- Supplied in 10 panels with much of the assembly already completed



- Includes tech screws, gloves and instructions
- Various door options available
- Install yourself or we can do it for you
- Customisation options available, see page 13-14

DIMENSIONS	WALL HEIGHT	GABLE HEIGHT	CODE
4.50 x 2.27	2.09	2.03	HDSC4522
6.00 x 2.27	2.09	2.03	HDSC6022
4.50 x 3.02	2.09	2.09	HDSC4530
4.96 x 3.02^	2.09	2.09	HDSC4930
6.00 x 3.02	2.09	2.09	HDSC6030
4.50 x 3.76	2.09	2.16	HDSC4537
6.00 x 3.76	2.09	2.16	HDSC6037
6.76 x 3.76	2.09	2.16	HDSC6737
7.49 x 3.76	2.09	2.16	HDSC7437

^Largest size available without Council Approval



# SHEDS : GABLE ROOF

## CHEMICAL SHED

- 1.83m wall height standard, can be increased to 1.96m
- Precast Bunded flooring made with reinforced concrete, inbuilt drain attachment fittings and precast anchor points
- Rotating roof vent and two fixed wall vents for cross ventilation
- All components for simple DIY installation, including pre-assembled shed panels.
- T-bar handle standard
- Option extra: Chemical Sign kits available includes; No Smoking, No Entry, Authorised Personnel Only, Dangerous when wet, Flammable Liquid 3, Toxic 6, Corrosive 8, Misc Dangerous Goods 4.
- AS1940



Sign kit as shown is an optional extra, see below for cost.

DIMENSIONS	WALL HEIGHT	CODE
2.27 x 1.53	1.83	CHMC2215
3.02 x 2.27	1.83	CHMC3022

WALL HEIGHT	
DESCRIPTION	CODE
1.96m (2.27 x 1.53 shed)	CHEXC2215
1.96m (3.02 x 2.27 shed)	CHEXC3022

SIGN KIT	
DESCRIPTION	CODE
Warning Sign Kit set of 8	CHEMSIGN

WALL VENTS	
DESCRIPTION	CODE
Small: 107mm x 300mm	WALLVENT
Medium: 230mm x 300mm	WALLVENTMED
Large: 400mm x 600mm	WALLVENTLRG

ROOF VENTS	
DESCRIPTION	CODE
Roof Vent ZINCALUME®	ROOFVENTZINC
Roof Vent COLORBOND®	ROOFVENTCOLOUR

# SHEDS : SKILLION ROOF

## RETRO SHED

- The Retro shed has a 130mm variation in wall height from front to back; 1.83m sloped up to 1.96m, providing good water run off
- These measurements can be changed to flow the water in the opposite direction
- Supplied in 4-5 panels with much of the assembly already completed
- Install yourself or we can do it for you
- T-bar handle standard
- Wall height upgrade to 2.09, at the front, 1.96m at the rear
- Window optional extra, various door and customisation options available, see page 13-14
- Install yourself or we can install for you



5 Louvre window as shown is not standard, see pg 13-14 for pricing

DIMENSIONS	CODE	DIMENSIONS	CODE
2.27 x 1.53	RETC2315	3.02 x 2.27	RETC3022
3.02 x 1.53	RETC3015	3.02 x 3.02	RETC3030

## STANDARD SKILLION SHED

- The Skillion shed has a 130mm variation in wall height from front to back; 1.83m sloped up to 1.96m
- These measurements can be changed to flow the water in the opposite direction
- Provides good water run off
- Supplied in 4-5 panels with much of the assembly already completed
- Includes tech screws, gloves and instructions ready to install
- Install yourself or we can do it for you
- T-bar handle standard
- Wall height upgrade to 2.09, at the front, 1.96m at the rear
- Various door and customisation options available such as windows and skylights see page 13-14 for pricing



DIMENSIONS	CODE	DIMENSIONS	CODE
1.53 x 0.78	SKLC1507	3.02 x 1.83	SKLC3018
1.53 x 1.53	SKLC1515	3.76 x 1.83	SKLC3718
2.27 x 1.53	SKLC2215	2.27 x 2.27	SKLC2222
3.02 x 1.53	SKLC3015	3.02 x 2.27	SKLC3022
3.76 x 1.53	SKLC3715	3.76 x 2.27	SKLC3722
1.53 x 1.83	SKLC1518	3.02 x 3.02	SKLC3030
2.27 x 1.83	SKLC2218	3.76 x 3.02	SKLC3730

# SHEDS : SHEDMASTER™

- Best shed if you need to go hard up against your fence as there is no overhang on the back
- 1.83m wall height
- Supplied in 4 panels with much of the assembly already done, with roof unassembled
- T-bar handle as standard
- Various door options available
- Supplied with a zinc roof and strong cold formed roof beam
- Increase wall height to 1.96m or 2.09m
- Install yourself or we can do it for you



DIMENSIONS	WALL HEIGHT	CODE
2.27 x 0.78	1.83	SMRC2407
2.27 x 1.53	1.83	SMRC2415
2.27 x 2.27	1.83	SMRC2422
3.02 x 1.53	1.83	SMRC3115
3.02 x 2.27	1.83	SMRC3122
3.02 x 3.02	1.83	SMRC3130

# SHEDS : SHEDMASTER™ KIT FORM

- The ShedMaster Range from Garden Master is designed to be easy to install yourself at a price that offers real value.
- This panel shed is made from 100% Australian COLORBOND steel and delivered flat-packed, on a pallet to your home.
- Our simple to follow instructions make it easy for the DIY expert to erect their ShedMaster shed.
- ShedMaster is available in a range of sizes and colours, specifically designed for the Australian backyard.



DIMENSIONS	WALL HEIGHT	CODE
2.27 x 0.78	1.83	SMRK2207
2.27 x 1.53	1.83	SMRK2215
2.27 x 2.27	1.83	SMRK2222
3.02 x 1.53	1.83	SMRK3015
3.02 x 2.27	1.83	SMRK3022
3.02 x 3.02	1.83	SMRK3030

# SHEDS : HIGH PITCHED ROOF

## FEDERATION SHED

- 30 degree roof angle provides a huge roof space and would suit many older style houses
- Wall height 1.83m has door height 1.73m
- Comes standard with powdercoat trim
- Supplied in 6 panels with much of the assembly already completed
- T-bar handle standard
- Increase wall height to 1.96m (door height 1.9m) or 2.09m (door height 1.9m)
- Various door and customisation options available, see page 13-14
- Install yourself or we can install for you



5 Louvre window as shown is not standard, see pg 13-14 for pricing

DIMENSIONS	WALL HEIGHT	GABLE HEIGHT	CODE
2.27 x 2.27	1.83	2.50	FEDC2222
3.02 x 2.27	1.83	2.50	FEDC3022
3.76 x 2.27	1.83	2.50	FEDC3722
4.50 x 2.27	1.83	2.50	FEDC4522
5.25 x 2.27	1.83	2.50	FEDC5222
6.00 x 2.27	1.83	2.50	FEDC6022
3.02 x 3.02	1.83	2.70	FEDC3030
3.76 x 3.02	1.83	2.70	FEDC3730
4.50 x 3.02	1.83	2.70	FEDC4530
5.25 x 3.02	1.83	2.70	FEDC5230
6.00 x 3.02	1.83	2.70	FEDC6030

# SHEDS : ACCESSORIES

DOORS		
ITEM	DESCRIPTION	CODE
Double Doors	Double door in front to give 1.53m opening and no P/A door	DDOOR153
	Double door in gable panel to give 1.53m opening and no P/A door	DDGAB153
	Double door in gable panel to give 1.53m opening and single door in front	DDGED153
	Double door in gable to give 2.4m opening and no P/A door	DDGAB240
	Double door in gable to give 2.4m opening and single door in front	DDGED240
Doors in Gable	To shift standard door to gable end	DOORGABL
Doors in Skillion	To shift standard door to skillion end	DOORSKIL
Extra Door	Separate extra door in front back or end	DOOREXFR
	Separate extra door in gable	DOOREXGB
Security Set	Tube door jams. Extra door support and locking door	SECURSET
Locking Door	T-Shape garage type door handle with 2 keys N/A with sliding door - Black	DOORLOCK
	T-Shape garage type door handle with 2 keys N/A with sliding door - Chrome	DOORLOCK
Sliding Door	Single sliding door in front	DSLID078
	Single sliding door in Gable/Skillion end^	DSLGA078
	Double sliding door in front to give 1.50m opening	DDSLD153
Wider Door	To make 1 door wider (by 150mm increments up to 1200mm max)	WIDEDOOR
	To make 1 door wider (by 300mm) 1050mm	WIDEDOOR2
	To make 1 door wider (by 450mm) 1200mm	WIDEDOOR3
WINDOWS		
ITEM	DESCRIPTION	CODE
Louvre Window	5 Blade louvre in zinc	WINDOWZA
	5 Blade louvre in colour	WINDOWCO
Gable Window	Window in gable panel surcharge	WINDOWGB
Sliding Window	Sliding aluminium window 700 x 900mm	SLIDAWN
Skylight	Skylight panel	SKYLIGHT
ANCHOR KIT		
ITEM	DESCRIPTION	CODE
High Wind Kit	6 x Bolt/nut/washer/bracket/dynabolt Terrain Category 2 (High Wind)	ANCHRTC2
Peg Kit	8 x Channels made to go in ground and fixed screwed to shed	ANCHRPEG
Bolt Kit	8 x Dynabolt and clip to fasten to concrete slab	ANCHOR KIT
Scooter Kit	2 x Scooter shed brackets	SCOOTBR
Multi Pack	All brackets turf + concrete	ANCHRMP

Any shed over 3.76m requires 2 x Anchor kit sets


^Includes flashing

# SHEDS : ACCESSORIES



SHED BASE - TIMBER FLOOR

SIZE (m)	CODE
1.53 x 0.78	SBASEC150
2.27 x 0.78	SBASEC220
3.02 x .078	SBASEC300
1.53 x 1.53	SBASEC151
2.27 x 1.53	SBASEC221
2.27 x 2.27	SBASEC222
3.02 x 1.53	SBASEC301
3.02 x 2.27	SBASEC302
3.02 x 3.02	SBASEC303



SHELF KIT

DESCRIPTION	CODE
3 shelf set bracketed to hand from wall - shelf size 900x2500	SHELFKIT
1.5m single shelf and brackets to fasten to wall	SHELF15
2.2m single shelf and brackets to fasten to wall	SHELF22
3m single shelf and brackets to fasten to wall	SHELF30

# SHEDS : ACCESSORIES

## GUTTERS

SIZE (m)	CODE
0.78	GPVC0780
1.53	GPVC1530
2.27	GPVC2270
3.02	GPVC3020
3.76	GPVC3760
4.50	GPVC4500
5.25	GPVC5250
6.00	GPVC6000
6.76	GPVC6760
7.49	GPVC7490

## SPECIAL CUSTOM OPTIONS

OPTION	CODE	DESCRIPTION
Corrugated	CORRO	50% to base price shed
Colour Channel	COLOCHAN	Price on application
Higher walls	HIGH1960	20% extra cost of shed for 1.96m high
	HIGH2100	30% extra cost of shed for 2.09m high
	HIGH2100	25% extra cost of shed for 2.09m high
Non standard Size	SPECSIZE	Priced from next largest size plus a cutting fee of 15% of base price. We always work to rib dimensions i.e. 150mm multiples. 10% for 2 cut backs on one shed.

# SHADE HOUSE : GABLE ROOF

## GABLE SHADE HOUSE

- Standard wall height 1.83m
- Supplied in 6-10 pre-assembled panels (depending on size) with much of the assembly already completed
- Larger shade houses are supplied with a galvanised truss
- Horticulture-grade shade cloth has a 70% sunblock factor to provide a cool environment, maintain moisture and reduce weeds and insects. Comes in colour green as standard, other colours available on request.
- Shade cloth is fade resistant, UV stabilised and reinforced at the edges to resist fraying and tearing.
- Doors have square hollow tube inserts to provide additional strength
- T-bar handle as standard
- Door position is customisable



- Custom sizes available
- Colour trim available
- Tiered plant stands to suit available

DIMENSIONS	WALL HEIGHT	GABLE HEIGHT	CODE
2.27 x 2.27	1.83	2.03	SDGC2222
3.02 x 2.27	1.83	2.03	SDGC3022
3.76 x 2.27	1.83	2.03	SDGC3722
4.50 x 2.27	1.83	2.03	SDTC4522
5.25 x 2.27	1.83	2.03	SDTC5222
6.00 x 2.27	1.83	2.03	SDTC6022
3.02 x 3.02	1.83	2.09	SDGC3030
3.76 x 3.02	1.83	2.09	SDGC3730
4.50 x 3.02	1.83	2.09	SDTC4530
5.25 x 3.02	1.83	2.09	SDTC5230
6.00 x 3.02	1.83	2.09	SDTC6030
3.76 x 3.76	1.83	2.16	SDGC3737
4.50 x 3.76	1.83	2.16	SDTC4537
5.25 x 3.76	1.83	2.16	SDTC5237
6.00 x 3.76	1.83	2.16	SDTC6037



# HOT HOUSE : GABLE ROOF

## GABLE HOT HOUSE

- Maintains the correct environment for your plants.
- Standard wall height 1.83m
- Natural Solarweave allows light but very little air transfer
- Two blade louvre vent each end allows control of atmosphere
- Door position is customisable
- Colour trim available
- T-bar handle as standard
- Tiered plant stands to suit available



DIMENSIONS	WALL HEIGHT	GABLE HEIGHT		CODE
2.27 x 2.27	1.83	2.03		HOGC2222
3.02 x 2.27	1.83	2.03		HOGC3022
3.76 x 2.27	1.83	2.03		HOGC3722
4.50 x 2.27	1.83	2.03	Truss	HOTC4522
6.00 x 2.27	1.83	2.03	Truss	HOTC6022
3.02 x 3.02	1.83	2.09		HOGC3030
3.76 x 3.02	1.83	2.09		HOGC3730
4.50 x 3.02	1.83	2.09	Truss	HOTC4530
6.00 x 3.02	1.83	2.09	Truss	HOTC6030

## TIERED PLANT STAND

- 20mm x 20mm galvanised SHS, 70mm x 50mm x 4mm thick galvanised mesh fully welded
- 300mm deep shelves in either 1.44m or 2.19m lengths
- Available in single, 2 tier and 3 tier



TIERS	SHELF HEIGHT (mm)	CODE
1	600	TPS1 1440
1	600	TPS1 2190
2	400/600	TPS2 1440
2	400/600	TPS2 2190
3	400/600/800	TPS3 1440
3	400/600/800	TPS3 2190

# AVIARY : FLAT ROOF

## FLIGHT AVIARY

- Door height: 1.56m, wall height: 1.83m
- Mesh from top to bottom provides unrestricted view for both you and your animals.
- The following options are available:
  - Hinged hatch
  - Mesh in roof
  - Mesh to ground
  - Dado
  - Full height doors
  - Parrot mesh 25 x 25 2mm thick
  - Easy feed rotating feeders
  - Coloured trim
  - Heavy duty parrot mesh
- 200mm high step deters animals from running out the door



- Designed with a ledge along front for easy placement of perches. Rest perches on the ledge and back wall of aviary - no need for fixings.
- See page 22 for customisation options and prices

DIMENSIONS	WALL HEIGHT	CODE
2.27 x 0.78	1.83	FLAVC2207
3.02 x 0.78	1.83	FLAVC3007
3.02 x 0.78	1.83	FLAVC3707

## SQUARE AVIARY

- Door height: 1.2m
- Wall height: 1.58m
- Floor size: 0.78m x 0.78m
- Choose from two appealing aviary designs; flat or pyramid roof
- Options include:
  - Hinged hatch
  - Easy clean floor tray fits both styles
  - Parrot mesh 25 x 25 2mm thick
  - Coloured trim
  - Rotating feeders
  - See page 22 for more customisation options



ROOF TYPE/DIMENSION	WALL HEIGHT	CODE
Flat 0.78 x 0.78	1.58	SQFC0707
Pyramid 0.78 x 0.78	1.58	SQPC0707
Floor Tray 0.70 x 0.70		SQFT0707

# AVIARY : GABLE ROOF

## HEXAGONAL AVIARY

- Hexagonal aviary is supplied in 6 pre-assembled panels and a two piece roof
- 0.4mm thick Australian steel
- Mesh is galvanised 12.5 x 12.5 x 1.2
- Wall height 1.83m
- 1.2m door with square hollow section steel installed to provide additional strength for the hinges
- The following options are available:
  - Hinged hatch
  - Mesh to ground
  - Full height doors
  - Parrot mesh 25 x 25 2mm thick
  - Easy feed rotating feeders
  - Coloured trim
- See page 22 for customisation options and prices



DESCRIPTION	PANEL SIZE	WALL HEIGHT	CODE
1.55 Standard	0.78	1.83	HEXC1550
1.95 Large	0.93	1.83	HEXC1950
2.50 Super	1.2	1.83	HEXC2500

# AVIARY : GABLE ROOF



## GABLE AVIARY

- Wall height 1.83m
- Bird proofing is supplied with all aviaries and is used to seal the gap between the top of the wall and the sheeting
- Supplied in 5 pre-assembled panels
- Doors:
  - 1.2m high - ½ mesh and ½ sheeting to match dado under all mesh sections
  - There are two tube inserts in each side of the door to give effective bracing without obstructing viewing
  - All doors are fitted with a pad-bolt and an extra safety catch for use when inside the aviary
- Dividers:
  - These can be used to divide an aviary into any number of compartments
  - Doors can be in the divider or outside walls to give required access
  - Dividers normally match the end walls for sheet, mesh and dado
- The following options are available:
  - Hinged hatch
  - Mesh in roof
  - Mesh to ground
  - Full height doors
  - Parrot mesh 25 x 25 2mm thick
  - Easy feed rotating feeders
  - Coloured trim
- See page 22 for customisation options, accessories and Aviary configurations

# AVIARY : GABLE ROOF

## MK1 - MESH ON FRONT ONLY

DIMENSIONS	WALL HEIGHT	GABLE HEIGHT	CODE
1.53 x 0.78	1.83	1.96	GA1C1507
1.53 x 1.53	1.83	1.96	GA1C1515

## MK2 AND MK3

DIMENSIONS	WALL HEIGHT	GABLE HEIGHT	CODE
1.53 x 1.53	1.83	1.96	GAXC1515
2.27 x 1.53	1.83	1.96	GAXC2215
3.02 x 1.53	1.83	1.96	GAXC3015
3.76 x 1.53	1.83	1.96	GAXC3715
2.27 x 2.27	1.83	2.03	GAXC2222
3.02 x 2.27	1.83	2.03	GAXC3022
3.76 x 2.27	1.83	2.03	GAXC3722
4.50 x 2.27	1.83	2.03	GAXC4522
6.00 x 2.27	1.83	2.03	GAXC6022
3.02 x 3.02	1.83	2.09	GAXC3030
3.76 x 3.02	1.83	2.09	GAXC3730
4.50 x 3.02	1.83	2.09	GAXC4530
6.00 x 3.02	1.83	2.09	GAXC6030
3.76 x 3.76	1.83	2.16	GAXC3737
4.50 x 3.76	1.83	2.16	GAXC4537
6.00 x 3.76	1.83	2.16	GAXC6037

## GABLE AVIARY MK3 DIVIDERS AND SECOND DOOR

DESCRIPTION	CODE
1.5m Divider & 2nd Door	GADC1500
2.25m Divider & 2nd Door	GADC2270
3.0m Divider & 2nd Door	GADC3020
3.76m Divider & 2nd Door	GADC3760

See page 21 for more options and accessories

# AVIARY : OPTIONS AND ACCESSORIES

## DOOR AND MESH OPTIONS

ITEM	DESCRIPTION	CODE
Door in Gable	To alter position of standard door to gable	DOORGABL
Full Height Door		DOORFH18
Extra Mesh	Standard mesh (1.3mm) where a section length is 0.78m - internal or external	EXTRAMESH

## ROTATING FEEDERS

NAME	SIZE	CODE
Double	100mm	RFEEDSM
Double Large	125mm	RFEEDLGE2
Triple	125mm	RFEEDLGE3

\*\*INSTALLATION INTO MESH ONLY



## NESTING BOXES

DESCRIPTION	CODE
Single Nesting Box	NESTBOXS
Double Nesting Box	NESTBOXD



## AVIARY CONFIGURATIONS


### LEGEND:

MESH ..... (dotted line)

SHEET ——— (solid line)

RIDGE <img alt="Ridge symbol: a V-shape with a horizontal line extending from the top vertex." data-bbox="95 806 154 821"/>

OTHER SIZES PRICED ON APPLICATION



# ANIMAL ENCLOSURES

## SMALL PET ENCLOSURE

- Compact size of the flat roof suits restricted areas and backyards where space is at a premium.
- Roof can be sloped for water to flow forward or back during installation
- Unobtrusive style of the flat roof is ideal for situations where minimal visual impact is required
- Doors have square hollow section steel installed to provide additional strength
- Options:
  - Door position customisable
  - Reverse positions to suit your yard
  - Powder coated trim and or mesh
- See page 21 for customisation options and prices



METRES	CODE
1.53 x 0.78	FSPC1507
2.27 x 0.78	FSPC2207
1.53 x 1.53	FSPC1515

# ANIMAL ENCLOSURES

## FOWL ENCLOSURES

- Wall height 1.83m
  - Wire panels have a 625mm sheet skirt for structural strength and protection from cats etc at ground level
  - Main structure is riveted with steel rivets with large flange aluminium rivets to attach the mesh
  - Solid sheeted door
  - Square steel inserted provides a strong door
  - Roof can be sloped for water to flow forward or back during installation
  - Easy adapted for use as fowl houses, catteries or kennels etc
  - Door position customisable
  - Various combinations of steel and mesh available
  - See page 21 for customisation options and prices
- Options:
    - Internal and External Nesting Boxes
    - Dividers
    - Extra Doors
    - Hinged Hatch



### FLAT ROOF

METRES	CODE
1.53 x 1.53	FOFC1515
2.27 x 1.53	FOFC2215
3.02 x 1.53	FOFC3015
3.76 x 1.53	FOFC3715
Divider with 2nd door	FODC1500

### GABLE ROOF


METRES	CODE
2.27 x 2.27	FOGC2222
3.02 x 2.27	FOGC3022
3.76 x 2.27	FOGC3722
3.02 x 3.02	FOGC3030
3.76 x 3.02	FOGC3730



# COLOURS




The Garden Master's products are available in ZINCALUME® steel or a range of COLORBOND® steel colours to suit your style. Please note Monument® MATT\* is only available on request, longer lead times and product restrictions may apply.




Woodland Grey®




Monument®



Pale Eucalypt®



Classic Cream™



Dune®



Paperbark®



Monument® MATT\*



ZINCALUME®



COLORBOND®, ZINCALUME®, BlueScope and ® colour names are registered trade marks of BlueScope Steel Limited. ™ colour names are trade marks of BlueScope Steel Limited. The COLORBOND® steel colour swatches and images shown have been reproduced to represent actual product colours as accurately as possible. However, we recommend checking your chosen colour against an actual sample of the product before purchasing, as varying light conditions and limitations of the printing process may affect colour tones.

**Colorbond®**



**GARDEN MASTER**  
— THE HOME OF QUALITY SHEDS —

# DELIVERY CHARGES



Prices are listed below for site deliveries to Metro and Outer Zones. If you require delivery to a Regional Zone, or to a location other than a site contact us for a quote.

## DELIVERY FEE

ITEM	DESCRIPTION	CODE	RETAIL PRICE inc. GST
Metro	For delivery direct to customer in Inner Zone - refer to map above.	DELIVERY METRO	\$150
Outer	For delivery direct to customer in Outer Zone - refer to map above.	DELIVERY OUTER	\$200

## PALLETS

ITEM	DESCRIPTION	CODE	RETAIL PRICE inc. GST
≤ 3m shed	Non-return for wooden pallet to suit up to 3m sheds.	PALLET01	\$40
> 3m shed	Non-return for wooden pallet to suit over 3m sheds.	PALLET01	\$45

# CUSTOMER ORDER FORM

QUOTE REQUEST    CUSTOMER ORDER  
 (PLEASE SELECT ONE)

Customer Name: \_\_\_\_\_ Delivery:  Installation  Store  Pickup  To Site  Pallet

Delivery Address: \_\_\_\_\_

Email Address: \_\_\_\_\_

Site Contact Name: \_\_\_\_\_ Site Contact Mobile: \_\_\_\_\_

Date: \_\_\_ / \_\_\_ / \_\_\_   Date Required: \_\_\_ / \_\_\_ / \_\_\_   Order Placed By: \_\_\_\_\_   Order Number: \_\_\_\_\_  
 (Minimum 15 working days from date of order)

## 1. STRUCTURE

Shed Type: \_\_\_\_\_

Model Number: \_\_\_\_\_

### Roof Type

- Flat Roof
- Skillion Roof
- Gable Roof

### Wall Height

- 1.83m
- 1.96m
- 2.10m
- Custom.....m

## 2. ANCHORING METHOD *Shed must be anchored*

- Into concrete - Anchor Kit N2
- Into concrete - Anchor Kit N3 (costal areas)
- Into earth - Anchor Peg Kit N2 (qty.....)

## 3. COLOUR

### Panel

- ZINCALUME® steel (standard)
- Woodland Grey®
- Monument®
- Pale Eucalypt®
- Classic Cream™
- Paperbark®
- Dune®
- Monument® MATT\*   \*Platinum range only

### Trim and Channel

- Match trim and channel to COLORBOND® steel
- Galvanised

## 4. OPTIONS AND ACCESSORIES

### Doors

- Standard
- Wide
- Sliding
- Double:
  - 1.5m  2.4m
- Roller door
  - Auto Power Drive
  - Bluetooth
- Door in Skillion
- Door in Gable
- 3 Point High Security
- Magnetic Door Holder
- Rigid Door Holder
- Broom Hook
- 3 Shelf Unit
- Single Shelf

### Window

- Louvre 700x900
- Sliding 900x900
- Skylight


### Flooring

- Shed Base
- Concrete Base


### Other

- Gutters
- Downpipe
- Gutter Guard S/Steel
- Gutter Fireproof Brush

## 5. LAYOUT PLANNER



On the planner grid, the space between lines represents one standard sheet width of 0.76m. Doors, windows and skylights are also fitted within these spaces. In-between positions may be available but at an additional cost. Please use the following icons when drawing plans to clearly identify any additional options or accessories required.



Additional order details:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

### PLEASE NOTE

- Roof overhangs plan dimensions up to 300mm. Refer to dealer if this is critical.
- \*COLORBOND® steel Monument® MATT is available for the Guardian shed only.
- \*Skylight placed in a Gable roof shed, covers 1 sheet widths from ridge to wall, on one side.
- \*Timber Flooring up to 3m x 3m with C Section galvanised.



**GARDEN MASTER**  
— THE HOME OF QUALITY SHEDS —



## Why choose a Garden Master Shed?

- 1 We are proudly 100% Australian owned and manufactured.
- 2 Garden Master uses only premium Australian COLORBOND® steel 0.35mm BMT supplied by BlueScope.
- 3 We offer a 20 year Structural Warranty as standard for N2 Wind Rating, N3 Wind Rating is available for Coastal areas.
- 4 Our sheds are available in a range of COLORBOND® steel colours to suit your style.
- 5 We use 0.55mm BMT heavy-duty trim as standard, to provide extra strength to the panels and ensure your shed can handle anything you throw at it, or in it. Available in Galvanised steel or matching COLORBOND® steel colour.
- 6 Our shed doors are reinforced, meaning they are more durable and there is no need for cross bracing.
- 7 T-Bar handle as standard on all sheds, for easy and secure latching every time.
- 8 We offer a range of standard wall heights: 1.83m, 1.96m, 2.09m custom wall heights are available on request.
- 9 Custom shed sizes are available to suit your needs.



\*Available on request

COLORBOND®, ZINCALUME®, BlueScope and ® colour names are registered trade marks of BlueScope Steel Limited. ™ colour names are trade marks of BlueScope Steel Limited. The COLORBOND® steel colour swatches and images shown have been reproduced to represent actual product colours as accurately as possible. However, we recommend checking your chosen colour against an actual sample of the product before purchasing, as varying light conditions and limitations of the printing process may affect colour tones. © 2021 BlueScope Steel Limited ABN 16 000 011 058. All rights reserved. NC1420-June-21